


INFORMATION DISCLOSURE CITATION

PTO-1449

ATTY. DOCKET NO.
A-67616-2/RMS/DCFSERIAL NO.
09/636,387APPLICANT
STUELPNAGEL et al.FILING DATE
August 9, 2000GROUP
To Be Assigned

U.S. PATENT DOCUMENTS

EXAMINER'S INITIALS		PATENT NO.	DATE	NAME	CLASS	SUBCLASS	FILING DATE
<i>M</i>	1.	4,822,746	4/1989	Walt	436	528	
	2	5,002,867	3/1991	Macevicz	435	6	
	3	5,114,864	5/1992	Walt	436	528	
	4	5,105,305	4/1992	Betzig et al.	359	368	
	5	5,143,853	9/1992	Walt	436	501	
	6	5,028,545	7/1991	Soini	436	501	
	7	5,244,636	9/1993	Walt et al.	422	82.07	
	8	5,244,813	9/1993	Walt et al.	436	172	
	9	5,250,264	10/1993	Walt et al.	422	82.7	
	10	5,252,494	10/1993	Walt	436	528	
	11	5,254,477	10/1993	Walt	436	172	
	12	5,298,741	3/1994	Walt et al.	250	227.230	
	13	5,320,814	6/1994	Walt et al.	422	82.7	
	14	5,496,997	3/1996	Pope	250	227.21	
	15	5,512,490	4/1996	Walt et al.	436	171	
	16	5,573,909	11/1996	Singer et al.	435	6	
	17	5,633,972	5/1997	Walt et al.	385	116	
	18	4,499,052	2/1985	Fulwyler	422	52	
	19	5,690,894	11/1997	Pinkel et al.	422	68.1	
	20	5,194,300	3/1993	Cheung	427	213.310	
<i>V</i>	21	5,132,242	7/1992	Cheung	436	501	
EXAMINER <i>m</i>				DATE CONSIDERED <i>Aug 01</i>			

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. I communication to applicant.

INFORMATION DISCLOSURE CITATION

PTO-1449

 ATTY. DOCKET NO.
A-67616-2/RMS/DCF

 SERIAL NO.
09/636,387

 APPLICANT
STUELPNAGEL et al.

 FILING DATE
August 9, 2000

 GROUP
To Be Assigned

U.S. PATENT DOCUMENTS

EXAMINER'S INITIALS		PATENT NO.	DATE	NAME	CLASS	SUBCLASS	FILING DATE
<i>M</i>	22	5,494,798	2/1996	Gerdt et al.	435	6	
	23	5,565,324	10/1996	Still et al.	435	6	
	24	5,516,635	5/1996	Ekins et al.	435	6	
	25	5,900,481	5/1999	Lough et al.	536	55.3	
	26	5,888,723	3/1999	Sutton et al.	435	5	
	27	5,380,489	1/1995	Sutton et al.	422	68.1	
	28	5,840,256	11/1998	Demers et al.	422	102	
<i>✓</i>	29	5,854,684	12/1998	Stabile et al.	356	440	

FOREIGN PATENT DOCUMENTS

EXAMINER'S INITIALS		PATENT NO.	DATE	COUNTRY	CLASS	SUBCLASS	Translation	
							Yes	No
<i>M</i>	30	0 478 319	4/1992	EP				
	31	0 269 764	6/1988	EP				
	32	93/02360	2/1993	PCT				
	33	89/11101	11/1989	PCT				
	34	97/14028	4/1997	PCT				
	35	0 723 146	7/1996	EP				
	36	98/40726	9/1998	PCT				
	37	0 392 546	10/1990	EP				
	38	98/53093	11/1998	PCT				
	39	97/40385	10/1997	PCT				
	40	98/53300	11/1998	PCT				
	41	96/03212	2/1996	PCT (WO)				
	42	99/60170	11/1999	PCT (WO)				
<i>M</i>	42a	99/67414	12/1999	PCT (WO)				

EXAMINER

DATE CONSIDERED

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. I communication to applicant.

INFORMATION DISCLOSURE CITATION

PTO-1449

 ATTY. DOCKET NO.
A-67616-2/RMS/DCF

 SERIAL NO.
09/636,387

 APPLICANT
STUELPNAGEL et al.

 FILING DATE
August 9, 2000

 GROUP
To Be Assigned

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

43	Anonymous, "Fluorescent Microspheres," Tech. Note 19, Bangs Laboratories, (Fishers, In) February 1997.
44	Anonymous, "Microsphere Selection Guide," Bangs Laboratories, (Fisher, In) September 1998.
45	Bangs, L.B., "Immunological Applications of Microspheres," The Latex Course, Bangs Laboratories (Carmel, IN) April 1996.
46	Peterson, J. et al., "Fiber Optic pH Probe for Physiological Use," Anal. Chem., 52:864-869 (1980).
47	Pope, E. "Fiber Optic Chemical Microsensors Employing Optically Active Silica Microspheres," SPIE, 2388:245-256 (1995).
48	Strachan et al., "A Rapid General Method for the Identification of PCR Products Using a Fibre-Optic Biosensor and its Application to the Detection of Listeria," Letters in Applied Microbiology, 21:5-9 (1995).
49	Abel et al., "Fiber-Optic Evanescent Wave Biosensor for the Detection of Oligonucleotides," Anal. Chem. 68:2905-2912 (1996).
50	Piunno et al., "Fiber-Optic DNA Sensor for Fluorometric Nucleic Acid Determination," Anal. Chem., 67:2635-2643 (1995).
51	Drmanac, R. et al., "Sequencing by Oligonucleotide Hybridization: A Promising Framework in Decoding of the Genome Program," The First International Conference on Electrophoresis, Supercomputing and the Human Genome, Proceeding of the April 10-13, 1990 Conference at Florida State University. Ed. C. Cantor and H. Lim.
52	Drmanac, R. et al., "Prospects for a Miniaturized, Simplified and Frugal Human Genome Project," Scientia Yugoslavica, 16(1-2):97-107 (1990).
53	Drmanac, R. et al., "Sequencing by Hybridization (SBH) with Oligonucleotide Probes as an Integral Approach for the Analysis of Complex Genomes," International Journal of Genome Research, 1(1):59-79 (1992).
54	Drmanac, R. et al., "Sequencing by Hybridization," Automated DNA Sequencing and Analysis, ed. M. Adams, C. Fields and J. Venter. (1994).
55	Barnard et al., "A Fibre-Optic Chemical Sensor with Discrete Sensing Sites," Nature, 353:338-340 (September 1991).
56	Fuh et al., "Single Fibre Optic Fluorescence pH Probe," Analyst, 112:1159-1163 (1987).
57	Magnani et al., "In-Vivo Biomedical Monitoring by Fiber-Optic Systems," Journal of Lightwave Technology, 13(7):1396-1406 (1995).
58	Healey et al., "Fiberoptic DNA Sensor Array Capable of Detecting Point Mutations," Analytical Biochemistry, 251:270-279 (1997)
59	Hirschfeld et al., "Laser-Fiber-Optic 'Optrode' for Real Time In Vivo Blood Carbon Dioxide Level Monitoring," Journal of Lightwave Technology, LT-5(7):1027-1033 (1987)
60	Peterson et al., "Fiber-Optic Sensors for Biomedical Applications," Science, 13:123-127 (1984).
61	Czarnik, "Illuminating the SNP genomic code," Modern Drug Discovery, 1(2):49-55 (1998)
62	Walt, "Fiber Optic Imaging Sensors", Acc. Chem. Res. 31(5):267-278 (1998)

EXAMINER

DATE CONSIDERED

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Please type a plus sign (+) inside this box → ☐

PTO/SB/8A (08-00)

Approved for use through 10/31/2002. OMB 0651-0031

U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449A/PTO

Complete if Known

RECEIVED

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(use as many sheets as necessary)

Application Number 09/636,387
Filing Date August 9, 2000
First Named Inventor Stuelpnagel et al.
Group Art Unit 1645
Examiner Name Not Yet Assigned
Attorney Docket Number A-67616-2/RMS/DCF

JUN 27 2001

TECH CENTER 1600/2900

U.S. PATENT DOCUMENTS

Examiner Initials*	Cite No. ¹	U.S. Patent Document		Name of Patentee or Applicant of Cited Document	Date of Publication of Cited Document MM-DD-YYYY	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear
		Number	Kind Code ² (if known)			
M	1	4,981,783		Augenlicht	01/1991	435/6
	2	5,474,895		Ishii et al.	12/1995	435/6
	3	5,679,524		Nikiforov et al.	10/1997	435/6
	4	5,795,716		Chee et al.	08/1998	435/6
	5	5,856,083		Chelsky et al.	01/1999	435/4
	6	5,858,732		Solomon et al.	01/1999	435/91.2
	7	6,013,456		Akhavan-Tafti	01/2000	435/6
	8	6,051,380		Sosnowski et al.	04/2000	435/6
	9	6,110,678		Weisburg et al.	08/2000	435/6
	10	6,172,218		Brenner	01/2001	536/25.4
	11	6,083,763		Balch	07/2000	422/62

FOREIGN PATENT DOCUMENTS

Examiner Initials*	Cite No. ¹	Foreign Patent Document			Name of Patentee or Applicant of Cited Document	Date of Publication of Cited Document MM-DD-YYYY	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear	T ⁶
		Office ³	Number ⁴	Kind Code ² (if known)				
M	12	WO	98/13523	A1	Pyrose-Quencing AB	04/1998		
	13	WO	00/47996	A2	Illumina, Inc.	08/2000		
	14	WO	00/63437	A2	Illumina, Inc.	10/2000		
	15	WO	00/71995	A2	Illumina, Inc.	11/2000		
	16	WO	00/75373	A2	Illumina, Inc.	12/2000		
	17	WO	00/71243	A1	Illumina, Inc.	11/2000		

Examiner Signature	M	Date Considered	Aug 01
--------------------	---	-----------------	--------

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹ Unique citation designation number. ² See attached Kinds of U.S. Patent Documents. ³ Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). ⁴ For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵ Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. ⁶ Applicant is to place a check mark here if English Language Translation is attached.

Burden Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

1054694


 persons are required to respond

Approved for use through 10/31/2002. OMB 0651-0031

Approved for use through 10/31/2002. OMB 0651-0031
U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no person is required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449B/PTO INFORMATION DISCLOSURE STATEMENT BY APPLICANT <i>(use as many sheets as necessary)</i>				Complete if Known	
				Application Number	09/636,387
				Filing Date	August 9, 2000
				First Named Inventor	Stuelpnagel et al.
				Group Art Unit	1645
				Examiner Name	Not Yet Assigned
				Attorney Docket Number	A-67616-2/RMS/DCF
Sheet	2	of	2		

[illegible]

Examiner Signature	<i>m</i>	Date Considered	<i>Aug 11</i>
-----------------------	----------	--------------------	---------------

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹ Unique citation designation number. ² Applicant is to place a check mark here if English Language Translation is attached.

Burden Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. **DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.**

INFORMATION DISCLOSURE

ATTY. DOCKET NO.
A-67616-2/RMS/DCFSERIAL NO.
09/636,387APPLICANT
Stuelpnagel et al.FILING DATE
August 9, 2000GROUP
1645

MAR 16 2001 PTO-1449

U.S. PATENT DOCUMENTS

EXAMINER'S INITIALS	PATENT NO.	DATE	NAME	CLASS	SUBCLASS	FILING DATE
M	1	5,639,603	06/1997	Dower et al.	435 6	RECEIVED
	2	5,575,849	11/1996	Honda et al.	118 44	MAR 20 2001
	3	5,814,524	10/1998	Walt et al.	436 518	TECH CENTER 1600/2900
	4	4,200,110	4/1980	Peterson et al.	128 634	
	5	4,682,895	7/1987	Costello	356 402	
	6	4,785,814	11/1988	Kane	128 634	
	7	4,824,789	4/1989	Yafuso et al.	436 68	
	8	5,357,590	10/1994	Auracher	385 33	
	9	5,435,724	7/1995	Goodman et al.	623 16	
	10	5,481,629	1/1996	Tabuchi	385 14 358 47	
	11	4,999,306	3/1991	Yafuso et al.	436 68	
	12	5,656,241	8/1997	Seifert et al.	422 82.06	
	13	6,023,540	2/2000	Walt et al.	385 12	
R	14	5,302,509	4/1994	Cheessman	435 6	

FOREIGN PATENT DOCUMENTS

EXAMINER'S INITIALS		PATENT NO.	DATE	COUNTRY	CLASS	SUBCLASS	Translation	
							Yes	No
N	15	98/50782	11/1998	PCT				
	16	99/18434	4/1999	PCT				
	17	97/14928	4/1997	PCT				
	18	00/13004	3/2000	PCT				
	19	00/16101	3/2000	PCT				
	20	00/39587	07/2000	PCT				
R	21	00/48000	9/2000	PCT				

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

EXAMINER	M	DATE CONSIDERED	Aug 01
----------	---	-----------------	--------

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.
8085 1449A.FRM (8/95)

PTO-1449

ATTY. DOCKET NO.
A-67616-2/RMS/DCF

SERIAL NO.
09/636,387

APPLICANT
Stuelpnagel et al.

FILING DATE
August 9, 2000

GROUP
1645

RECEIVED

MAR 20 2001

TECH CENTER 1600/290

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

22

Chen et al., "A Microsphere-Based Assay for Multiplexed Single Nucleotide Polymorphism Analysis Using Single Base Chain Extension," *Genome Research*, 10(4):549-557 (2000).

Ferguson et al., "A Fiber-Optic DNA Biosensor Microarray for the Analysis of Gene Expression," *Nature Biotechnology*, 14:1681-1684 (1996).

Healey et al., "Improved Fiber-Optic Chemical Sensor for Penicillin," Anal. Chem. 67(24):4471-4476 (1995).

25

Healey et al., "Development of a Penicillin Biosensor Using a Single Optical Imaging Fiber," SPIE Proc. 2388:568-573 (1995).

26

Iannone et al., "Multiplexed Single Nucleotide Polymorphism Genotyping by Oligonucleotide Ligation and Flow Cytometry," *Cytometry*, 39:131-140 (2000).

27

Michael et al., "Making Sensors out of Disarray: Optical Sensor Microarrays," Proc. SPIE, 3270: 34-41 (1998).

28

Michael et al., "Randomly Ordered Addressable High-Density Optical Sensor Arrays," *Anal. Chem.* 70(7): 1242-1248 (April 1998).

29

Michael et al., "Fabrication of Micro- and Nanostructures Using Optical Imaging Fibers and there Use as Chemical Sensors," Proc. 3rd Intl. Symp., Microstructures and Microfabricated Systems, ed. P.J. Hesketh, et al., v. 97-5, Electrochem. Soc., 152-157 (Aug. 1997).

30

Pantano et al., "Ordered Nanowell Arrays," *Chem. Mater.*, 8(12): 2832-2835 (1996).

31

Walt, "Fiber-Optic Sensors for Continuous Clinical Monitoring," Proc. IEEE, 80(6): 903-911 (1992).

EXAMINER

DATE CONSIDERED

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.